

RECEIVED
CENTRAL FAX CENTER

AUG 01 2008

Amendments to the Claims:

The listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1-12. (Cancelled)

13. (Currently Amended) A transgenic plant of claim 17, said transgenic plant being of a species in which natively $[[\lambda]]$ γ -tocopherol is not the predominant tocopherol in its seeds, the transgenic plant altered to produce $[[\lambda]]$ γ -tocopherol as the most abundant tocopherol in the seeds of the plant, wherein said coding sequence is oriented so as to produce antisense RNA.

14. (Original) Seeds of the plant of claim 13.

15. (Withdrawn) Oil from the seeds of claim 14.

16. (Cancelled)

17. (Currently amended) A transgenic plant which has an altered profile of tocopherols in its seeds or oils compared to non-transgenic plants of the same species wherein said plant has been transformed to contain a heterologous genetic construct comprising a plant γ -tocopherol methyltransferase coding sequence, wherein the coding sequence encodes the expression of a $[[\lambda]]$ γ -tocopherol methyltransferase protein which (1) has at least one SAM binding domain consensus sequence conserved in other plant γ -tocopherol methyltransferases in the λ -tocopherol biosynthetic pathway; (2) which is at least 35% identical in amino acid sequence to SEQ ID NO: 4; (3) which has amino acid sequences corresponding to the following motifs in SEQ ID NO: 4 when aligned by sequence alignment with SEQ ID NO: 4: WGDHMHG at residues 79-86, GCGIGGS at residues 134-141, ESGEHMP at residues 202-208, and

TWCHR at residues 231-235; and (4) which will increase the level of α -tocopherol present in a plant when expressed in a plant.

18. (Original) Seed of the plant of claim 17.
19. (Withdrawn) Oil from the seeds of claim 18.
20. (Withdrawn, currently amended) A transgenic plant seed of claim 17 of a plant species in which α -tocopherol is natively not the predominant tocopherol in seeds, the transgenic plant seed containing α -tocopherol as the most abundant tocopherol present in the transgenic plant seed.
21. (Withdrawn, currently amended) Oil from the seed of claim ~~20~~ 40.
- 22-25.(Cancelled)
26. (Withdrawn, currently amended) Oil from the seed of a transgenic plant of claim 17 comprising a genetic construct having a $[[\lambda]]$ γ -tocopherol methyltransferase coding sequence operably connected to a plant promoter not natively associated with the coding sequence; wherein the plant has an altered δ -tocopherol: β -tocopherol ratio relative to an untransformed wild-type plant.
27. (Withdrawn, currently amended) A method of altering a characteristic of a plant comprising the step of incorporating into the genome of the plant a genetic construct comprising a heterologous $[[\lambda]]$ γ -tocopherol methyltransferase coding sequence ~~operably connected to a plant promoter not natively associated with the coding sequence~~, wherein the λ -tocopherol methyltransferase coding sequence comprises at least one S-adenosylmethionine (SAM) binding domain conserved in all other plant $[[\lambda]]$ γ -tocopherol methyltransferases in the λ -tocopherol biosynthetic pathway and lacks a sterol binding domain, such that when the coding sequence is expressed in the plant, the characteristic of the

plant is altered to produce more α -tocopherol compared to a control plant that is not transformed with the construct.

28. (Withdrawn, currently amended) The method of Claim 27 wherein the altered characteristic is selected from the group consisting of altered α -tocopherol: $[[\lambda]]$ γ -tocopherol ratio, increased levels of α -tocopherol, and decreased levels of $[[\lambda]]$ γ -tocopherol.
29. (Withdrawn, currently amended) The method as set forth in claim 27 wherein the plant is selected from the group consisting of maize, soybean, rapeseed, cotton, peanut, safflower, castor, sunflower, cabbage, carrot, pears apple, cabbage, cauliflower, broccoli, lettuce, banana, potato, barley, wheat, palm, and rice.
30. (Withdrawn, currently amended) A plant having a characteristic genetically altered through incorporation into the genome of the plant of a genetic construct comprising a heterologous $[[\lambda]]$ γ -tocopherol methyltransferase coding sequence ~~operably connected to a plant promoter not natively associated with the coding sequence~~, wherein the $[[\lambda]]$ γ -tocopherol methyltransferase coding sequence comprises at least one S-adenosylmethionine (SAM) binding domain conserved in ~~all~~ other plant $[[\lambda]]$ γ -tocopherolmethyltransferases in the $[[\lambda]]$ γ -tocopherol biosynthetic pathway and lacks a sterol binding domain, such that when the coding sequence is expressed in the plant, the characteristic of the plant is altered to produce more α -tocopherol compared to a control plant that is not transformed with the construct.
31. (Withdrawn) The seed of the plant of claim 30.
- 32-33.(Cancelled)
34. (Withdrawn, currently amended) A genetic construct comprising a plant λ -tocopherol methyltransferase coding sequence operably connected to a plant

promoter not natively associated with the coding sequence, wherein the coding sequence encodes the expression of a $[\lambda]$ γ -tocopherol methyltransferase protein which (1) has at least one SAM binding domain consensus sequence conserved in all other plant $[\lambda]$ γ -tocopherol methyltransferases in the $[\lambda]$ γ -tocopherol biosynthetic pathway; (2) which is at least 35% identical in amino acid sequence to SEQ ID NO: 4; (3) which has the following amino acid sequences corresponding to the following motifs in SEQ ID NO: 4 when aligned by sequence alignment with SEQ ID NO: 4: WGDHMHG at residues 79-86, GCGIGGS at residues 134-141, ESGEHMP at residues 202-208, and TWCHR at residues 231-235; and (4) which will increase the level of α -tocopherol present in a plant when expressed in a plant.

35. (Withdrawn) A transgenic plant containing in its genome the genetic construct of claim 34.
36. (Withdrawn) A transgenic plant seed containing in its genome the genetic construct of claim 34.
37. (Previously submitted) A soybean comprising seed oil, the α -tocopherol content of which is at least 77%.
38. (Previously submitted) A corn seed comprising seed oil, the α -tocopherol content of which is at least 90%.
39. (New) A transgenic plant of claim 35 wherein the plant is selected from the group consisting of maize, soybean, rapeseed, cotton, peanut, safflower, castor, sunflower, cabbage, carrot, pears, apple, cauliflower, broccoli, lettuce, banana, potato, barley, wheat, palm, and rice.
40. (New) A seed of a plant of claim 20.